phpFox 4.5.1

Remove prefix "phpFox" from the Core Apps

Change App Directory

From 4.5.1, we rename all directory of the core apps, namely:

- PHPfox_Core becomes core
- PHPfox_AmazonS3 becomes core-amazon-s3
- PHPfox_CDN becomes core-cdn
- PHPfox_CDN_Service becomes core-cdn-service
- $\bullet \ \, \mathtt{PHPfox_Facebook} \,\, \mathbf{becomes} \,\, \mathtt{core-facebook} \,\, \\$
- PHPfox_Flavors becomes core-flavors
- PHPfox_Groups becomes core-groups
- PHPfox_IM becomes core-im
- PHPfox_reCAPTCHA becomes core-recaptcha
- PHPfox_Twemoji_Awesome becomes core-twemoji-awesome
- PHPfox_Videos becomes core-videos

Change html class name, html id of Core Blocks

From 4.5.1, we also remove "phpfox" in html class name and id of all core blocks

For example: html id of Groups Category block

```
// before 4.5.1 
js_block_border__apps_phpfox_groups_block_groupcategory
```

```
// before 4.5.1
js_block_border__apps_phpfox__block_groupcategory
```

Support configure Name of App Directory

Before 4.5.1, the app dir name must same as the app id, but from now you can use a difference name for app directory. You can do that easily by declaring property _apps_dir.