Better Ads - Supported Plugin

Below is the full list of supported plugin in Better Ads app:

Plugin name	Location	Added Version	Description
ad. component_block_daily_reports_process start	PF.Site/Apps/core-better-ads/Block /DailyReports.php	4.2.0	Plugin called at the start of the Daily Reports block.
ad. component_block_daily_reports_process end	PF.Site/Apps/core-better-ads/Block /DailyReports.php	4.2.0	Plugin called at the end of the Daily Reports block.
ad.component_block_daily_reports_clean	PF.Site/Apps/core-better-ads/Block /DailyReports.php	4.2.0	Plugin called at clean function of the Daily Reports block.
ad. component_block_deleteplacement_clean	PF.Site/Apps/core-better-ads/Block /DeletePlacement.php	4.2.0	Plugin called at clean function of the Delete Placement block.
ad. component_block_display_processstart	PF.Site/Apps/core-better-ads/Block/Display.php	4.2.0	Plugin called at the start of the Display block.
ad.component_block_display_processend	PF.Site/Apps/core-better-ads/Block/Display.php	4.2.0	Plugin called at the end of the Display block.
ad.component_block_display_clean	PF.Site/Apps/core-better-ads/Block/Display.php	4.2.0	Plugin called at clean function of the Display block.
ad.component_block_display_preview_ad	PF.Site/Apps/core-better-ads/Block/Display.php	4.2.0	Plugin called when previewing ad.
ad.component_block_inner_processstart	PF.Site/Apps/core-better-ads/Block/Inner.php	4.2.0	Plugin called at the start of the Inner block.
ad.component_block_inner_processend	PF.Site/Apps/core-better-ads/Block/Inner.php	4.2.0	Plugin called at the end of the Inner block.
ad.component_block_inner_clean	PF.Site/Apps/core-better-ads/Block/Inner.php	4.2.0	Plugin called at clean function of the Inner block.
ad. component_block_migrate_ad_processsta rt	PF.Site/Apps/core-better-ads/Block/MigrateAd. php	4.2.0	Plugin called at the start of the Migrate Ad block.
ad. component_block_migrate_ad_processend	PF.Site/Apps/core-better-ads/Block/MigrateAd.	4.2.0	Plugin called at the end of the Migrate Ad block.
ad.component_block_migrate_ad_clean	PF.Site/Apps/core-better-ads/Block/MigrateAd. php	4.2.0	Plugin called at clean function of the Migrate Ad block.
ad.component_block_sample_clean	PF.Site/Apps/core-better-ads/Block/Sample.php	4.2.0	Plugin called at clean function of the Sample block.
ad.component_block_sponsored_clean	PF.Site/Apps/core-better-ads/Block/Sponsored. php	4.2.0	Plugin called at clean function of the Sponsored block.
ad.component_controller_add_clean	PF.Site/Apps/core-better-ads/Controller /AddController.php	4.2.0	Plugin called at clean function of the AddController.
ad.component_controller_image_clean	PF.Site/Apps/core-better-ads/Controller /ImageController.php	4.2.0	Plugin called at clean function of the ImageController.
ad.component_controller_processstart	PF.Site/Apps/core-better-ads/Controller /IndexController.php	4.2.0	Plugin called at the start of the IndexController.
ad.component_controller_index_clean	PF.Site/Apps/core-better-ads/Controller /IndexController.php	4.2.0	Plugin called at clean function of the IndexController.
ad. component_controller_invoice_index_clear	PF.Site/Apps/core-better-ads/Controller /InvoiceController.php	4.2.0	Plugin called at clean function of the InvoiceController.
ad.component_controller_manage_clean	PF.Site/Apps/core-better-ads/Controller /ManageController.php	4.2.0	Plugin called at clean function of the ManageController.
<pre>ad. component_controller_manage_sponsor_cle an</pre>	PF.Site/Apps/core-better-ads/Controller /ManageSponsorController.php	Plugin called at clean function of the ManageSponsorController.	
ad.component_controller_preview_clean	PF.Site/Apps/core-better-ads/Controller /PreviewController.php	4.2.0	Plugin called at clean function of the PreviewController.
ad.component_controller_report_clean	PF.Site/Apps/core-better-ads/Controller /ReportController.php	4.2.0	Plugin called at clean function of the ReportController.
ad.component_controller_sample_clean	PF.Site/Apps/core-better-ads/Controller /SampleController.php	4.2.0	Plugin called at clean function of the SampleController.
ad.component_controller_sponsor_clean	PF.Site/Apps/core-better-ads/Controller /SponsorController.php	4.2.0	Plugin called at clean function of the SponsorController.
ad. component_controller_admincp_add_proces sstart	PF.Site/Apps/core-better-ads/Controller/Admin /AddController.php	4.2.0	Plugin called at the start of the Admin /AddController.
ad. component_controller_admincp_add_proces send	PF.Site/Apps/core-better-ads/Controller/Admin /AddController.php	4.2.0	Plugin called at the end of the Admin /AddController controller.
ad. component_controller_admincp_add_clean	PF.Site/Apps/core-better-ads/Controller/Admin /AddController.php	4.2.0	Plugin called at clean function of the Admin /AddController.
ad. component_controller_admincp_placement_ add_clean	PF.Site/Apps/core-better-ads/Controller/Admin /AddPlacementController.php	4.2.0	Plugin called at clean function of the Admin /AddPlacementController.

ad. component_controller_admincp_processs tart	PF.Site/Apps/core-better-ads/Controller/Admin /IndexController.php	4.2.0	Plugin called at the start of the Admin /IndexController.
ad. component_controller_admincp_process_e nd	PF.Site/Apps/core-better-ads/Controller/Admin /IndexController.php	4.2.0	Plugin called at the end of the Admin /IndexController controller.
ad. component_controller_admincp_index_clear	PF.Site/Apps/core-better-ads/Controller/Admin	4.2.0	Plugin called at clean function of the Admin /IndexController.
ad. component_controller_admincp_invoice_cl	PF.Site/Apps/core-better-ads/Controller/Admin /InvoiceController.php	4.2.0	Plugin called at clean function of the Admin /InvoiceController.
ad. component_controller_admincp_migrate_ad s_processstart	PF.Site/Apps/core-better-ads/Controller/Admin /MigrateAdsController.php	4.2.0	Plugin called at the start of the Admin /MigrateAdsController.
ad. component_controller_admincp_migrate_ad s_processend	PF.Site/Apps/core-better-ads/Controller/Admin /MigrateAdsController.php	4.2.0	Plugin called at the end of the Admin /MigrateAdsController controller.
ad. component_controller_admincp_migrate_ad sclean	PF.Site/Apps/core-better-ads/Controller/Admin /MigrateAdsController.php	4.2.0	Plugin called at clean function of the Admin /MigrateAdsController.
ad. component_controller_admincp_migrate_sp onsorships_processstart	PF.Site/Apps/core-better-ads/Controller/Admin /MigrateSponsorshipsController.php	4.2.0	Plugin called at the start of the Admin /MigrateSponsorshipsController.
ad. component_controller_admincp_migrate_sp onsorships_processend	PF.Site/Apps/core-better-ads/Controller/Admin /MigrateSponsorshipsController.php	4.2.0	Plugin called at the end of the Admin /MigrateSponsorshipsController controller.
ad. component_controller_admincp_migrate_sp onsorshipsclean	PF.Site/Apps/core-better-ads/Controller/Admin /MigrateSponsorshipsController.php	4.2.0	Plugin called at clean function of the Admin /MigrateSponsorshipsController.
ad. component_controller_admincp_placement_ index_clean	PF.Site/Apps/core-better-ads/Controller/Admin /PlacementController.php	4.2.0	Plugin called at clean function of the Admin /PlacementController.
ad. component_controller_admincp_sponsor_pr ocessstart	PF.Site/Apps/core-better-ads/Controller/Admin /SponsorController.php	4.2.0	Plugin called at the start of the Admin /SponsorController.
ad. component_controller_admincp_sponsor_pr ocessend	PF.Site/Apps/core-better-ads/Controller/Admin /SponsorController.php	4.2.0	Plugin called at the end of the Admin /SponsorController controller.
ad. component_controller_admincp_sponsorc lean	PF.Site/Apps/core-better-ads/Controller/Admin /SponsorController.php	4.2.0	Plugin called at clean function of the Admin /SponsorController.
ad. component_controller_admincp_sponsor_se tting_processstart	PF.Site/Apps/core-better-ads/Controller/Admin /SponsorSettingController.php	4.2.0	Plugin called at the start of the Admin /SponsorSettingController.
ad. component_controller_admincp_sponsor_se tting_processend	PF.Site/Apps/core-better-ads/Controller/Admin /SponsorSettingController.php	4.2.0	Plugin called at the end of the Admin /SponsorSettingController controller.
ad. component_controller_admincp_sponsor_se ttingclean	PF.Site/Apps/core-better-ads/Controller/Admin /SponsorSettingController.php	4.2.0	Plugin called at clean function of the Admin /SponsorSettingController.
ad.service_ad_getstart	PF.Site/Apps/core-better-ads/Service/Ad.php	4.2.0	Plugin called at the start of function get in Ad service.
ad.service_ad_getend	PF.Site/Apps/core-better-ads/Service/Ad.php	4.2.0	Plugin called at the end of function get in Ad service.
ad.service_ad_getadsponsorstart	PF.Site/Apps/core-better-ads/Service/Ad.php	4.2.0	Plugin called at the start of function getAdsS ponsor in Ad service.
ad.service_ad_getend	PF.Site/Apps/core-better-ads/Service/Ad.php	4.2.0	Plugin called at the end of function get in Ad service.
ad.service_ad_getforblockstart	PF.Site/Apps/core-better-ads/Service/Ad.php	4.2.0	Plugin called at the start of function getForB lock in Ad service.
ad.service_ad_getforblock1	PF.Site/Apps/core-better-ads/Service/Ad.php	4.2.0	Plugin called at the middle of function getFor Block in Ad service.
ad.service_ad_getforblockend	PF.Site/Apps/core-better-ads/Service/Ad.php	4.2.0	Plugin called at the end of function getForBl ock in Ad service.
ad.service_ad_getadredirectstart	PF.Site/Apps/core-better-ads/Service/Ad.php	4.2.0	Plugin called at the start of function getAdRe direct in Ad service.
ad.service_ad_getadredirectend	PF.Site/Apps/core-better-ads/Service/Ad.php	4.2.0	Plugin called at the end of function getAdRed irect in Ad service.
ad.service_ad_getforeditstart	PF.Site/Apps/core-better-ads/Service/Ad.php	4.2.0	Plugin called at the start of function getForE dit in Ad service.
ad.service_ad_getforeditend	PF.Site/Apps/core-better-ads/Service/Ad.php	4.2.0	Plugin called at the end of function getForEd it in Ad service.
ad.service_ad_getsizesstart	PF.Site/Apps/core-better-ads/Service/Ad.php	4.2.0	Plugin called at the start of function getSizes in Ad service.

ad.service_ad_getsizesend	PF.Site/Apps/core-better-ads/Service/Ad.php	4.2.0	Plugin called at the end of function getSizes in Ad service.
ad.service_adcall	PF.Site/Apps/core-better-ads/Service/Ad.php	4.2.0	Plugin called at the start of functioncall in Ad service.
ad.service_ad_getphotopicsizes	PF.Site/Apps/core-better-ads/Service/Ad.php	4.2.0	Plugin called at the start of function getPhot oPicSizes in Ad service.
ad.service_callback_constructstart	PF.Site/Apps/core-better-ads/Service/Callback.	4.2.0	Plugin called at the start of functionconst ruct in Callback service.
ad. service_callback_purchase_ad_completed	PF.Site/Apps/core-better-ads/Service/Callback.	4.2.0	Plugin called at the end of function paymentA piCallback in Callback service.
ad.service_callbackcall	PF.Site/Apps/core-better-ads/Service/Callback. php	4.2.0	Plugin called at the start of functioncall in Callback service.
ad.service_ad_getstart	PF.Site/Apps/core-better-ads/Service/Get.php	4.2.0	Plugin called at the start of function get in Get service.
ad.service_ad_getend	PF.Site/Apps/core-better-ads/Service/Get.php	4.2.0	Plugin called at the end of function get in Get service.
ad.service_ad_getadsponsorstart	PF.Site/Apps/core-better-ads/Service/Get.php	4.2.0	Plugin called at the start of function getAdsS ponsor in Get service.
ad.service_ad_getadsponsorend	PF.Site/Apps/core-better-ads/Service/Get.php	4.2.0	Plugin called at the end of function getAdsSp onsor in Get service.
ad.service_ad_getforblockstart	PF.Site/Apps/core-better-ads/Service/Get.php	4.2.0	Plugin called at the start of function getForB lock in Get service.
ad.service_ads_getforblock1	PF.Site/Apps/core-better-ads/Service/Get.php	4.2.0	Plugin called at the middle of function getFor Block in Get service.
ad.service_ad_getforblockend	PF.Site/Apps/core-better-ads/Service/Get.php	4.2.0	Plugin called at the end of function getForBl ock in Get service.
ad.service_ad_getadredirectstart	PF.Site/Apps/core-better-ads/Service/Get.php	4.2.0	Plugin called at the start of function getAdRe direct in Get service.
ad.service_ad_getadredirectend	PF.Site/Apps/core-better-ads/Service/Get.php	4.2.0	Plugin called at the end of function getAdRed irect in Get service.
ad.service_ad_getforeditstart	PF.Site/Apps/core-better-ads/Service/Get.php	4.2.0	Plugin called at the start of function getForE dit in Get service.
ad.service_ad_getforeditend	PF.Site/Apps/core-better-ads/Service/Get.php	4.2.0	Plugin called at the end of function getForEd it in Get service.
ad.service_ad_getsizesstart	PF.Site/Apps/core-better-ads/Service/Get.php	4.2.0	Plugin called at the start of function getSizes in Get service.
ad.service_ad_getsizesend	PF.Site/Apps/core-better-ads/Service/Get.php	4.2.0	Plugin called at the end of function getSizes in Get service.
ad.service_ad_getimagesizes	PF.Site/Apps/core-better-ads/Service/Get.php	4.2.0	Plugin called at the start of function getThum bnailSizes in Get service.
ad.service_adcall	PF.Site/Apps/core-better-ads/Service/Get.php	4.2.0	Plugin called at the start of functioncall in Get service.
ad.service_process_constructstart	PF.Site/Apps/core-better-ads/Service/Process. php	4.2.0	Plugin called at the start of functionconst ruct in Process service.
ad.service_ad_updateactivitystart	PF.Site/Apps/core-better-ads/Service/Process. php	4.2.0	Plugin called at the start of function updateA ctivity in Process service.
ad.service_ad_updateactivityend	PF.Site/Apps/core-better-ads/Service/Process. php	4.2.0	Plugin called at the end of functionconstruct in Process service.
ad.service_ad_updatestart	PF.Site/Apps/core-better-ads/Service/Process. php	4.2.0	Plugin called at the start of function update in Process service.
ad.service_ad_updateend	PF.Site/Apps/core-better-ads/Service/Process. php	4.2.0	Plugin called at the end of function update in Process service.
ad.service_ad_deletestart	PF.Site/Apps/core-better-ads/Service/Process. php	4.2.0	Plugin called at the start of function delete in Process service.
ad.service_ad_deleteend	PF.Site/Apps/core-better-ads/Service/Process. php	4.2.0	Plugin called at the end of function delete in Process service.
ad.service_ad_deleteinvoicestart	PF.Site/Apps/core-better-ads/Service/Process. php	4.2.0	Plugin called at the start of function deleteI nvoice in Process service.
ad.service_ad_addstart	PF.Site/Apps/core-better-ads/Service/Process. php	4.2.0	Plugin called at the start of function add in Process service.
ad.service_ad_addend	PF.Site/Apps/core-better-ads/Service/Process. php	4.2.0	Plugin called at the end of function add in Process service.
ad.service_processcall	PF.Site/Apps/core-better-ads/Service/Process. php	4.2.0	Plugin called at the start of functioncall in Process service.
ad.service_reportcall	PF.Site/Apps/core-better-ads/Service/Report. php	4.2.0	Plugin called at the start of functioncall in Report service.
		1	