


Prepare for Installation on LAMP server

Assume that your server already meets [MetaFox System Requirements](#). In this article, we will walk you through the preparation steps to install MetaFox on a normal server with the LAMP stack (Apache2, PHP, and MySQL), includes following steps:

1. Upload MetaFox source on your server
2. Configure proper permissions of folders
3. Create database and database user

Upload MetaFox source on your server

You can download the zip file of the latest MetaFox version in [Client Area](#) and extract it on your local machine at `/path/to/metafox` folder.



Then, extract the `/path/to/metafox/upload.zip` file you will see the following source structure under the **upload** folder

Name	Size	Kind
upload	--	Folder
storage	--	Folder
server.php	563 bytes	PHP Script
routes	--	Folder
resources	--	Folder
public	--	Folder
packages	--	Folder
htaccess.example	2 KB	Document
database	--	Folder
config	--	Folder
composer.lock	652 KB	Document
composer.json	6 KB	JSON Document
composer	2,8 MB	Unix Executable File
bootstrap	--	Folder
artisan	2 KB	Unix Executable File
app	--	Folder

Then, upload ALL folders and files under the **upload** folder to the webroot folder of webserver. Normally, the webroot folder of your server usually has the name **public_html**.

- If you aren't sure where is the webroot folder, you should ask your hosting provider or system administrator.
- To avoid unexpected issues when uploading source files onto the server, it is highly recommended to upload the **upload.zip** file on your server and then extract source files to the webroot folder.

For easy explanation from now on, we will assume that the webroot folder is `/home/metafox/public_html`

Create .htaccess file

After extracting all source files at /home/metafox/public_html, now you can go to /home/metafox/public_html and copy the content of *htaccess.example* to the existing *.htaccess* file.

If the .htaccess file doesn't exist, you can simply rename the *htaccess.example* to *.htaccess*

Configure proper permissions of folders

You will need to grant the write permission on the following folders:

- storage/* (recursively)
- public/* (recursively)
- bootstrap/cache/* (recursively)
- config/* (recursively)

Create database and database user

Next step is to prepare the database user and database for the MetaFox site. There are many ways to set up database user and database on your server. Hosting service provider usually provide a server management tools, such as cPanel, Plesk, DirectAdmin, etc.

- [cPanel](#)
- [Plesk](#)

If your hosting is using another server management tool, they should have the detailed guide on this setup so please feel free to contact the Help Desk of your hosting provider if you don't know how to create database.

You need to note the following details when completing this step:

- Database Host (if database is on the same server, the host will be **localhost**)
- Database Name
- Database User
- Password
- Port (default 3306 for MySQL and 5432 for Postgres)

Congratulations! All preparation steps have been done. All are ready to start [installing MetaFox](#) site now.