

Group API

Response

```
{
  "status": "success",
  "data": [
    {
      "is_liked": "12",
      "user_id": "1",
      "page_id": "12",
      "view_id": "0",
      "title": "House Tarly",
      "reg_method": "0",
      "is_featured": "0",
      "is_sponsor": "0",
      "total_like": "1",
      "total_comment": "0",
      "privacy": "0",
      "item_type": "1",
      "link": "http://example.com/groups/12/",
      "category": {
        "type_id": "6",
        "name": "sports",
        "link": "http://example.com/groups/category/6/sports/"
      },
      "location": null,
      "cover": null,
      "avatar": null,
      "sub_category": {
        "category_id": "160",
        "name": "groups_category_401b3ebc575df4e3d3a7e78b8dd67150",
        "link": "http://example.com/groups/sub-category/160/badminton/"
      },
      "info": null
    }
  ],
  "message": "",
  "error": null
}
```

POST /groups

Create group

Example URI

```
http://example.com/restful_api/groups
```

Parameters

Parameter	Type	Require ?	Description
val[title]	String	Yes	Group title
val[type_id]	Integer	Yes	Category of group
val[category_id]	Integer	No	Subcategory that group belonging to (Subcategory must be children of Category)
val[reg_method]	Integer	Yes	Group type privacy, available options: 0, 1, 2

Response

```
{
  "status": "success",
  "data": {
    "page_id": "13",
    "view_id": "0",
    "user_id": "1",
    "title": "House Mormont",
    "reg_method": "0",
    "is_featured": "0",
    "is_sponsor": "0",
    "total_like": "1",
    "total_comment": "0",
    "privacy": "0",
    "item_type": "1",
    "is_liked": true,
    "link": "http://example.com/groups/13/",
    "category": {
      "type_id": "6",
      "name": "sports",
      "link": "http://example.com/groups/category/6/sports/"
    },
    "location": null,
    "cover": null,
    "avatar": null,
    "sub_category": {
      "category_id": "159",
      "name": "groups_category_2ea8140004527d6af669a76b8dcefc19",
      "link": "http://example.com/groups/category/6/football/"
    },
    "info": null
  },
  "message": "Group successfully added.",
  "error": null
}
```

GET /groups/:id

get group's details

Example URI

```
http://example.com/restful_api/groups/13
```

Parameters

Parameter	Type	Require ?	Description
id	Integer	Yes	Group id

Response

```
{
  "status": "success",
  "data": {
    "page_id": "13",
    "view_id": "0",
    "user_id": "1",
    "title": "House Mormont",
    "reg_method": "0",
    "is_featured": "0",
    "is_sponsor": "0",
    "total_like": "1",
    "total_comment": "0",
    "privacy": "0",
    "item_type": "1",
    "is_liked": true,
    "link": "http://example.com/groups/13/",
    "category": {
      "type_id": "6",
      "name": "sports",
      "link": "http://example.com/groups/category/6/sports/"
    },
    "location": null,
    "cover": null,
    "avatar": null,
    "sub_category": {
      "category_id": "159",
      "name": "groups_category_2ea8140004527d6af669a76b8dcefc19",
      "link": "http://example.com/groups/category/6/football/"
    },
    "info": null
  },
  "message": "",
  "error": null
}
```

PUT /groups/:id

update a group

Example URI

```
http://example.com/restful_api/groups/13
```

Parameters

Parameter	Type	Require ?	Description
val[title]	String	Yes	Group Title
val[type_id]	Integer	Yes	Category that group belonging to
val[category_id]	Integer	No	Subcategory that group belonging to (Subcategory must be children of Category)
val[reg_method]	Integer	No	Group type privacy, available options: 0, 1, 2
val[location]	String	No	Location name of group
val[location_lat]	Float	No	Location latitude of group
val[location_lng]	Float	No	Location longitude of group
val[temp_file]	Integer	No	Id of the temporary image that is storage in table temp_file, this file will be set as Avatar of Group
val[remove_photo]	Integer	No	Value is 1 or 0, set 1 to remove the current avatar of group
val[text]	String	No	Info of group
val[invite]	Array	No	An array of user_id is invited to like group. Example: [1, 2]
val[phones]	String	No	A list of phones number is invited to like group. Example: +84932127567,+84932127568

val[emails]	String	No	A list of emails is invited to like group. Example: email1@gmail.com , email2@gmail.com
val[admins]	Array	No	An array of user_id is set as admin of group. Example: [1, 2]
val[perms][perm_name]	Array	No	List permissions of group, "perm_name" is the var name of permission. Example: val[perms][blog.share_blogs] = 0 (0: Anyone, 1: Members Only, 2: Admins Only)
val[vanity_url]	String	No	Vanity url of group

Response

```
{
  "status": "success",
  "data": {
    "page_id": "13",
    "view_id": "0",
    "user_id": "1",
    "title": "House Mormont of Bear Island",
    "reg_method": "1",
    "is_featured": "0",
    "is_sponsor": "0",
    "total_like": "1",
    "total_comment": "0",
    "privacy": "0",
    "item_type": "1",
    "is_liked": true,
    "link": "http://example.com/groups/13/",
    "category": {
      "type_id": "6",
      "name": "sports",
      "link": "http://example.com/groups/category/6/sports/"
    },
    "location": null,
    "cover": null,
    "avatar": null,
    "info": "Later ruled by Lyanna Mormont"
  },
  "message": "Group successfully updated.",
  "error": null
}
```

DELETE /groups/:id

Delete a group

Example URI

```
http://example.com/restful_api/groups/13
```

Parameter

Parameter	Type	Require ?	Description
id	Integer	Yes	Group Id

Response

```
{
  "status": "success",
  "data": [],
  "message": "Group successfully deleted.",
  "error": null
}
```